

4" Paslanmaz Gövdeli
Plastik Aksamli Dalgıç Pompalar

4" Stainless Steel Body
Plastic Component Submersible Pumps

4"

►►►► teknik bilgiler
technical informations



SEPEXTRA®

www.seppump.eu

MALZEME ÖZELLİKLER		MATERIAL SPECIFICATION		SPECIFICATION DE MATIERE	
■ Pompa Gövdesi		■ Pump Body		■ Corpe de Pompe	
Paslanmaz Çelik	AISI 304	Stainless Steel	AISI 304	Acier Inox	AISI 304
■ Pompa Mili		■ Pump Shaft		■ Arbre de Pompe	
Paslanmaz Çelik	AISI 420	Stainless Steel	AISI 420	Acier Inox	AISI 420
■ Difüzör		■ Diffuser		■ Diffuseur	
Plastik	Polikarbon (PC)	Plastic	Polycarbonate (PC)	Plastics	Polycarbonate (PC)
■ Difüzör Halkası		■ Diffuser Ring		■ Diffuseur Ring	
Paslanmaz Çelik	AISI 304	Stainless Steel	AISI 304	Acier Inox	AISI 304
■ Fan		■ Impeller		■ Roue	
Plastik	Polikarbon (PC)	Plastic	Polycarbonate (PC)	Plastics	Polycarbonate (PC)
■ Kaplin (Nema Standart)		■ Coupling (NEMA Standarts)		■ Accouplement (au normes NEMA)	
Paslanmaz Çelik	AISI 420	Stainless Steel	AISI 420	Acier Inox	AISI 420
■ Filtre - Kablo Kanalı		■ Filter & Cable Guard		■ Filtre & Protection Cable	
Paslanmaz Çelik	AISI 304	Stainless Steel	AISI 304	Acier Inox	AISI 304
■ Yatak Takımı		■ Bearing Set		■ Soutenir l'ensemble	
Kauçuk (NBR)		Rubber (NBR)		Caoutchouc (NBR)	
■ A inma Halkası		■ Wear Ring		■ Bague d'usure	
Paslanmaz Çelik	AISI 304	Stainless Steel	AISI 304	Acier Inox	AISI 304
■ Klepe		■ Valve Cap		■ Clapet	
Plastik	Poliasetal (PA)	Plastic	Polyacetal (PA)	Plastics	Polyacetal (PA)
■ Emi Gövdesi		■ Suction Body		■ Corps d'ortie	
Standart	AISI 304	Standard	AISI 304	Standard	AISI 304
Opisyonel	Bronz (ASTM B415-4A)	Optional	Bronz (ASTM B415-4A)	Facultatif	Bronz (ASTM B415-4A)
■ Çıktı Gövdesi		■ Delivery Body		■ Corps d'aspiration	
Standart	AISI 304	Standard	AISI 304	Standard	AISI 304
Opisyonel	Bronz (ASTM B415-4A)	Optional	Bronz (ASTM B415-4A)	Facultatif	Bronz (ASTM B415-4A)

TEKNİK ÖZELLİKLER		TECHNICAL SPECIFICATION		SPECIFICATION TECHNIQUES	
■ Maks. Kum miktarı	: 40 gr/ m ³	■ Max. Sand Content	: 40 gr/ m ³	■ Qte.max.de sable	: 40 gr/ m ³
■ Frekans	: 50 Hz	■ Frequency	: 50 Hz	■ Frequence	: 50 Hz
■ Dönü Yönü	: Saat ibresi tersine	■ Rotation	: CCW	■ Rotation	: CCW
■ Devir Sayısı	: 2900 d/dk	■ Rotational Speed	: 2900 rpm	■ Cadence de revolution	: 2900 rpm
■ Maks. Su Sıcaklığı	: 30°C	■ Max. Water Temp.	: 30°C	■ Temp. Max. de l'eau	: 30°C
■ Saatte Maks. Kalkı	: 4" - 10	■ Max. Start / Hour	: 4" - 10	■ Démarrages / heure	: 4" - 10

ÖLÇÜ TABLOSU / DIMENSION TABLE / TABLE AU DE DIMENSION

Pompa Tipi Pump Type Pompe Type	Kademe Stages Estages	Motor		Boy (mm) Length	A ırlık (kg) Weight	Maks. Çap Max. Dia.	Çıktı Çapı Outlet Dia.
		Kw	Hp				
EX06 07/08	8	0.55	0.75	515	4	98 mm	1 ¼"
EX06 10/13	13	0.75	1	667	5		
EX06 15/19	19	1.1	1.5	876	7		
EX06 20/26	26	1.5	2	1188	9		
EX06 30/35	35	2.2	3	1487	11		
EX06 40/44	44	3	4	1864	13		
EX06 50/60	60	4	5.5	2479	18		

Pompa Tipi Pump Type Pompe Type	Kademe Stages Estages	Motor		Boy (mm) Length	A ırlık (kg) Weight	Maks. Çap Max. Dia.	Çıktı Çapı Outlet Dia.
		Kw	Hp				
EX07 07/06	6	0.55	0.75	448	4	98 mm	1 ¼"
EX07 10/09	9	0.75	1	546	5		
EX07 15/13	13	1.1	1.5	677	6		
EX07 20/19	19	1.5	2	876	7		
EX07 30/26	26	2.2	3	1188	9		
EX07 40/35	35	3	4	1487	11		
EX07 50/44	44	4	5.5	1864	13		
EX07 75/60	60	5.5	7.5	2479	18		

Pompa Tipi Pump Type Pompe Type	Kademe Stages Estages	Motor		Boy (mm) Length	A ırlık (kg) Weight	Maks. Çap Max. Dia.	Çıktı Çapı Outlet Dia.
		Kw	Hp				
EX10 10/05	5	0.75	1	448	4	98 mm	2"
EX10 15/08	8	1.1	1.5	546	5		
EX10 20/10	10	1.5	2	677	6		
EX10 30/13	13	2.2	3	876	7		
EX10 40/18	18	3	4	1188	9		
EX10 50/26	26	4	5.5	1487	11		
EX10 75/32	32	5.5	7.5	1864	13		
EX10 100/40	40	7.5	10	2479	18		

Pompa Tipi Pump Type Pompe Type	Kademe Stages Estages	Motor		Boy (mm) Length	A ırlık (kg) Weight	Maks. Çap Max. Dia.	Çıktı Çapı Outlet Dia.
		Kw	Hp				
EX15 20/06	6	1.5	2	566	4	98 mm	2"
EX15 30/09	9	2.2	3	718	5		
EX15 40/12	12	3	4	871	6		
EX15 50/16	16	4	5.5	1163	8		
EX15 75/22	22	5.5	7.5	1468	10		
EX15 100/30	30	7.5	10	1880	12		

SEPEXTRA®

Dalgıç Elektropompları - Submersible Electropumps - Pompes Immergees

G4 EX06

PERFORMANS TABLOSU / PERFORMANCE TABLE / TABLEAU D'EXÉCUTION

Pompa Tipi Pump Type Pompe Type	Kademe Stages Estages	Motor		lt/min m ³ /h	15	30	40	50	60	70	90
		Kw	Hp								
EX06 07/08	8	0.55	0.75	50	0,9	1,8	2,4	3	3,6	4,2	5,4
EX06 10/13	13	0.75	1	78	50	46	40	36	31	22	10
EX06 15/19	19	1.1	1.5	108	78	70	62	56	48	38	16
EX06 20/26	26	1.5	2	150	108	98	88	76	66	50	25
EX06 30/35	35	2.2	3	199	150	135	120	106	90	70	29
EX06 40/44	44	3	4	249	199	179	162	142	120	93	39
EX06 50/60	60	4	5.5	339	249	223	200	180	150	115	48
					339	304	278	240	203	160	60

G4 EX07

PERFORMANS TABLOSU / PERFORMANCE TABLE / TABLEAU D'EXÉCUTION

Pompa Tipi Pump Type Pompe Type	Kademe Stages Estages	Motor		lt/min m ³ /h	40	50	60	70	90	110	130
		Kw	Hp								
EX07 07/06	6	0.55	0.75	40	2.4	3	3.6	4.2	5.4	6.6	7.8
EX07 10/09	9	0.75	1	52	40	38	36	31	26	17	8
EX07 15/13	13	1.1	1.5	76	52	50	46	41	34	21	10
EX07 20/19	19	1.5	2	108	76	70	67	60	49	31	14
EX07 30/26	26	2.2	3	152	108	100	94	86	69	44	20
EX07 40/35	35	3	4	200	152	144	134	121	98	65	28
EX07 50/44	44	4	5.5	258	200	189	175	159	125	87	40
EX07 75/60	60	5.5	7.5	328	258	243	228	210	167	115	56
					328	310	291	268	220	160	83

G4 EX10

PERFORMANS TABLOSU / PERFORMANCE TABLE / TABLEAU D'EXÉCUTION

Pompa Tipi Pump Type Pompe Type	Kademe Stages Estages	Motor		lt/min m ³ /h	90	110	130	150	170	210	240
		Kw	Hp								
EX10 10/05	5	0.75	1	31	5,4	6,6	7,8	9	10,2	12,6	14,4
EX10 15/08	8	1.1	1.5	49	31	29	27	22	20	14	6
EX10 20/10	10	1.5	2	58	49	44	40	36	31	19	9
EX10 30/13	13	2.2	3	77	58	55	50	42	38	24	11
EX10 40/18	18	3	4	105	77	71	64	57	50	31	17
EX10 50/26	26	4	5.5	147	105	99	90	80	69	44	23
EX10 75/32	32	5.5	7.5	187	147	138	126	112	98	65	37
EX10 100/40	40	7.5	10	230	187	173	160	144	126	83	50
					230	215	200	180	160	110	67

G4 EX15

PERFORMANS TABLOSU / PERFORMANCE TABLE / TABLEAU D'EXÉCUTION

Pompa Tipi Pump Type Pompe Type	Kademe Stages Estages	Motor		lt/min m ³ /h	110	130	150	170	210	240	270	300	330	350
		Kw	Hp											
EX15 20/06	6	1.5	2	40	6,6	7,8	9	10,2	12,6	14,4	16,2	18	19,8	21
EX15 30/09	9	2.2	3	59	40	38	36	33	28	22	17	11	5	3
EX15 40/12	12	3	4	78	59	56	54	50	43	33	25	16	7	4
EX15 50/16	16	4	5.5	106	78	75	71	66	58	47	35	22	10	6
EX15 75/22	22	5.5	7.5	143	106	101	96	90	77	62	48	30	15	7
EX15 100/30	30	7.5	10	185	143	138	131	122	105	86	67	45	20	11
					185	178	168	157	133	109	83	60	30	20

G4 EX Series



SEP®

Pompa Sistemleri / Pump Systems

Dalgıç Pompa Motorları
Drenaj Pompaları
Hidrofor Pompalar
Dalgıç Pompalar
Dik Milli Pompalar
Endüstriyel Pompa Sistemleri
Özel Üretimler

Submersible Pump Motors
Waste Water and Drainage Pumps
Booster Sets
Submersible Pumps
Vertical Lineshaft Pumps
Industrial Pump Systems
Special Products



Gökşan Pompa Sanayi ve Ticaret Anonim Şirketi
Goksan Pump Industry INC.

Fabrika / Factory: 10014 Sk. No.7 Atatürk Organize Sanayi Bölgesi Çi li - zmir / TÜRK YE
Telefon / Phone: +90 (232) 376 74 28 (pbx) • Faks / Fax: +90 (232) 376 80 54
www.seppump.eu • www.goksan.com.tr • info@seppump.eu